


1. Full automatic PET bottle blowing machine with auto loader

A: (for water/juice/beverage bottle 5ML to 2L)



Model NO.	LS-A9	LS-A8	LS-A6	LS-A4	LS-A2	LS-A3
Photo						
Theoretical Output	16000pcs/hr	11000pcs/hr	7000pcs/hr	5000pcs/hr	2500pcs/hr	3000pcs/hr
Max.Container Volume	600ml	600ml	1.8L	2.0L	2L	750ml
Max. Neck Diameter	38mm	38mm	45mm	48mm	48mm	48mm
Max. Container Diameter	70mm	70mm	100mm	100mm	100mm	100mm
Max. Container Height	300mm	340mm	340mm	340mm	340mm	340mm
Number Of Cavity	9 cavity	8 cavity	6 cavity	4 cavity	2 cavity	3 cavity
Total Power	60kw	65kw	45kw	35kw	25kw	25kw
Use Power	40kw	40kw	30kw	20kw	12kw	12kw
Working Pressure	1.0mpa	1.0mpa	1.0mpa	1.0mpa	1.0mpa	1.0mpa



Whatsapp&wechat:+86 15867685898


website: <https://www.tzlones.com>

Email: judy@tzlones.com

Blow Pressure	≤3.0mpa	≤3.0mpa	≤3.0mpa	≤3.0mpa	≤3.0mpa	≤3.0mpa
Machine Size	6.0*2.0*2.0	6.5*2*2m	4.8x2x2.0m	4.5x2x2.0m	2.5x1.8x2.0m	3x1.8x2.0m
Machine Weight	6T	5.5T	4T	2.7T	2.0T	2.0T
Feeding Machine Size	2.5*1.2*2.6m	2.5x1.2x2.6m	2.5x1.2x2.6m	2.5x1.0x2.6m	2.0x1.0x2.6m	2.0x1.0x2.6m
Feeding Machine Weight	0.3T	0.3T	0.3T	0.25T	0.2T	0.2T

B: (for large volume bottle 1L to 20L)



Model NO.	LS-A4-5L	LS-A2-5L	LS-A1-5L	LS-A1-15L	LS-A1-10L	LS-A1-20L
Photos						
Theoretical Output	2200pcs/hr	1600pcs/hr	800pcs/hr	450pcs/hr	700pcs/hr	400pcs/hr
Max.Container Volume	7L	7L	7L	15L	12L	20L
Max. Neck Diameter	50mm	55mm	60mm	100mm	100mm	100mm
Max. Container Diameter	180mm	190mm	190mm	230mm	190mm	300mm
Max. Container Height	400mm	400mm	400mm	480mm	400mm	480mm
Number Of Cavity	4 cavity	2 cavity	1 cavity	1 cavity	1 cavity	1 cavity
Total Power	100kw	50kw	40kw	50kw	40kw	60kw
Use Power	50kw	30kw	20kw	30kw	20kw	40kw
Working Pressure	1.0mpa	1.0mpa	1.0mpa	1.0mpa	1.0mpa	1.0mpa



Blow Pressure	≤3.0mpa	≤3.0mpa	≤3.0mpa	≤3.0mpa	≤3.0mpa	≤3.0mpa
Machine Size	5x2.0x2.0m	3.5x2.0x2.0m	3x2.0x2.0m	3.5x2.0x2.0m	3*1.6*2m	3.5*2*2m
Machine Weight	6.5T	3.5T	2T	4T	3.5T	4T
Feeding Machine Size	2.0x1.5*2.5m	2.0x1.2x2.5m	2.0x1.2x2.5m	2.0x1.2x2.5m	2.0x1.2x2.5m	2.0x1.2x2.5m
Feeding Machine Weight	0.3T	0.22T	0.22T	0.3T	0.3T	0.3T

*We can customize PP PC PMMA and high temperature resistant blow molding machine according to customer's requirements.

2. Automatic blowing bottle machine without auto loader

(for wide mouth jar, cosmetic bottle and complicated shape bottle 1ML to 7L)



Model NO.	LS-A2-2L	LS-A1-5L	LS-A2-5L	LS-A4-2L	LS-PP
Photos					
Theoretical Output	2000pcs/hr	700pcs/hr	1000pcs/hr	3000pcs/hr	1000pcs/hr
Max.Container Volume	2L	7L	7L	2L	1.5L
Max. Neck Diameter	100mm	120mm	150mm	75mm	100mm
Max. Container Diameter	110mm	180mm	230mm	100mm	110mm
Max. Container Height	340mm	340mm	360mm	340mm	340mm
Number Of Cavity	2 cavity	1 cavity	2 cavity	4 cavity	2 cavity
Total Power	25kw	40kw	50kw	35kw	30kw
Use Power	15kw	20kw	30kw	20kw	20kw

Working Pressure	1.0mpa	1.0mpa	1.0mpa	1.0mpa	1.0mpa
Blow Pressure	≤3.0mpa	≤3.0mpa	≤3.0mpa	≤3.0mpa	≤3.0mpa
Machine Size	2x1.8x2.0m	3x2.0x2.0m	4.5x2.0x2.0m	4.3x1.8x2.0m	4*1.8*2m
Machine Weight	2T	2.0T	3.5T	3.5T	2.2T

***We can customize PP PC PMMA and heat resistant blow molding machine according to customer's requirements.**

3. Semi automatic bottle blowing machine

For any shape bottles from 5ML to 25L



Model NO.	LS-B3L 1oven 2blower	LS-B3L 1oven 1blower	LS-5L-1cavity	LS-B5L-2cavity	LS-B10L	LS-B20L	LS-PP	LS-B1L-4
Photos								
Theoretical Output	1800pcs/hr	1000pcs/hr	400pcs/hr	700pcs/hr	352pcs/hr	120pcs/hr	1000pcs/hr	2300pcs/hr
Max.Container Volume	3L	3L	7L	7L	12L	22L	2L	1.5L
Max. Container Diameter	95mm	95mm	260mm	260mm	260mm	330mm	260mm	95mm
Max. Container Height	300mm	320mm	430mm	430mm	430mm	600mm	430mm	320mm
Number Of Cavity	4 cavity	2 cavity	1 cavity	2 cavity	1cavity	1cavity	2cavity	4cavity
Total Power	15kw	6kw	8kw	12kw	12kw	15kw	15kw	18kw
Machine size	Blower:162*62*157cm Oven:171*67*145CM		188*65*130cm 170*65*145cm	200*65*170cm 220*65*145cm	200*65*180cm 220*65*145cm	220*70*190cm 264*65*145cm	145*65*180cm 420*65*145cm	182*0.82*1.85m 1.73*0.68*1.38m

**We can customize PP PC PMMA and high temperature resistant blow molding machine according to customer's requirements.*